2722

Office of The Deputy Director Higher Education, District Shimla, Shimla-1 Website: ddheshimla.com [Tel (Fax) 0177-2804710 | E Mail: ddheshimla@rediffmail.com

No. Shiksha-Sml.5- 8 (Misc)/2016-17

Dated:

To,

The All Principals / Headmasters, GSSS/ GHS/ Pvt. Schools District Shimla (H.P.) PIN One of Higher Edica 104120-104670

Sub:

Regarding Prevention of Jaundice

Memo,

Your attention is invited towards this office letter Shiksha-Sml-5-8(Misc)-2016. Dated 10-02-2016, 08-03-2016, 31-03-2016 08-03-2016 and No. Shiksha Shimla (1-5) B-1/15-Misc. Dated 15-03-2016 vide which you were given to implement the various instructions in order to prevent JAUNDICE. It is appreciable that you have adhered to the instructions and till date fortunately no incident of jaundice has been reported from the schools of District Shimla.

Now, as the Monsoon is about to begin, therefore extra precautions and measures are to be taken, especially regarding Jaundice and other water borne diseases. You are therefore, directed to clean up water storage tanks before monsoon and after the opening of schools, and also ensure the following points:

- The Head of institution will ensure to provide pure and safe drinking water to the students and staff in terms of provision contained in the "Water (Prevention & Control of pollution)m Act,1974".
- The Head of institution will remain in touch with Irrigation and Public Health
 Department and all other concerned departments, so that pure and safe drinking water
 is available to the students in the state as per the directions of the Hon'ble High Court
 of Himachal Pradesh.
- The Head of institution will also follow all provisions contained in the Food Safety & Standards Act, 2006.
- · Proper cleanliness and Hygiene must be observed in MDM Kitchen thoroughly.
- Make necessary arrangements to clean water storage tanks, cleanliness of toilets and sanitation within school premises in order to prevent Jaundice and other diseases.
- Ensure that water tanks are cleaned-up regularly after 2-3 months.
- The water filter, preferably Ultra Violet be made available in the Schools to the students and staff.
- Submit a Fresh Status Report/Progress Report/Action Taken report/ after monsoon break and re-opening of schools.

Deputy Director of Higher Education, District Shimla, US Club Shimla-1

Endorsement No. Even, Dated: Shimla-1, the

Copy to the following for information:-

1 The Director of Higher Education, HP. Shimla -1.

2 The Nodal Officer (IT) to upload the same on office website.

Deputy Director of Higher Education, District Shimla, US Club, Shimla-1.